What is claimed is:

1. A compound according to the formula (I)

(I)

wherein

Z is selected from the group consisting of $-S(O)_2$ - and -C(O)-,

when Z is $-S(O)_2$ -, R_a is selected from the group consisting of -R1 and -N(R1)(R3), or when Z is -C(O)-, R_a is selected from the group consisting of -R1, -OR1, -N(R1)(R3) and -SR1,

where

R1 is selected from the group consisting of

-C₁-C₁₁ alkyl, wherein each carbon may be optionally substituted with one, two or three X substituents,

-C₃-C₁₀ cycloalkyl, wherein each carbon may be optionally substituted with one or two X substituents,

 $-(CH_2)_nQ_p(CH_2)_nW$, wherein each carbon of $-(CH_2)_n$ - may be optionally substituted with one or two X substituents,

Q is O, S, or NR3,

n is independently an integer 0-6,

p is independently an integer 0 or 1,

W is independently selected from the group consisting of hydrogen, C_3 - C_{10} cycloalkyl, -(C_3 - C_{10} cycloalkyl)-aromatic, and one of the following aromatic or heteroaromatic rings:

where B is -O-, -S-, -NR6-, where each carbon of the aromatic or heteroaromatic ring may be independently substituted by a nitrogen atom, and each carbon of the aromatic ring may be independently substituted with an X substituent;

and -(CH₂)_nCHW₂,

where each X substituent is independently selected from the group consisting of hydrogen, halogen, methylenedioxy, $-C_1-C_8$ alkyl, $-C_3-C_{10}$ cycloalkyl, substituted or unsubstituted phenyl, $-C_1-C_8$ alkoxy, -SR3, -OH, =O, $-CY_3$, $-OCY_3$, $-CO_2R3$, -CN, -CO-NR4R5, $-NO_2$, -COR3, -NR4R5, -NH-C(O)-R3, $-NH-C(O)-(C_1-C_6$ alkyl)-aromatic, and $-NH-C(O)-(C_1-C_6$ alkyl)-heteroaromatic;

where each Y is independently selected from the group consisting of hydrogen and halogen;

where each R3 is independently selected from the group consisting of hydrogen, and C_1 - C_8 alkyl, where C_1 - C_8 alkyl may be straight or branched, saturated or unsaturated;

where each R4 and R5 is independently selected from the group consisting of hydrogen, and C_1 - C_6 alkyl, where C_1 - C_6 alkyl may be straight or branched, saturated or unsaturated, where which each carbon of C_1 - C_6 alkyl is optionally substituted with an X substituent, or where R4 and R5 taken together with the

nitrogen to which they are attached, form a heterocyclic ring of three to seven atoms including the nitrogen atom;

where -NR6- is selected from the group consisting of an unsubstituted N, an N substituted with -hydrogen, -(C_1 - C_6 alkyl), - C_3 - C_{10} cycloalkyl, - $S(O)_2$ -(C_1 - C_6 alkyl), - $S(O)_2$ -(C_3 - C_{10} cycloalkyl), -C(O)R3, -C(O)-(C_0 - C_6 alkyl)-aromatic, and - $S(O)_2$ -(C_0 - C_6 alkyl)-aromatic, wherein each carbon of the aromatic ring may be optionally substituted with an X substituent; and

where phenyl is substituted with one to five substituents independently selected from the group consisting of hydrogen, halogen, methylenedioxy, $-C_1-C_8$ alkyl, $-C_3-C_{10}$ cycloalkyl, $-C_1-C_8$ alkoxy, -OH, $-CY_3$, $-OCY_3$, $-CO_2R_3$, -CN, $-NO_2$, $-COR_3$, $-NR_4R_5$, $-SR_3$, $-CO-NR_4R_5$, and $-NH-C(O)-R_3$; and

R2 is selected from the group consisting of cyclopentyl, cyclopentenyl, and isopropyl; or a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.

2. The compound according to claim 1, wherein the compound is:

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-fluoro-phenyl)-methanone dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-trifluoromethyl-phenyl)-methanone dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-trifluoromethyl-phenyl)-methanone dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-quinoxalin-2-yl-methanone dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-benzo[1,3]dioxol-5-yl-methanone dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3-chloro-phenyl)-methanone dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2-methoxy-phenyl)-methanone dihydrochloride;

- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-methoxy-phenyl)-methanone dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-phenyl-methanone dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-thiophen-2-yl-methanone dihydrochloride;
- trans-4-(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-
- 1-yl}-methanoyl)-benzoic acid methyl ester dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(2-fluoro-3-trifluoromethyl-phenyl)-methanone dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(2-bromo-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(2,6-dichloro-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(3,4-dichloro-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(3,4,5-trimethoxy-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(3,5-dimethoxy-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(4-butoxy-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(4-heptoxy-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(4-tert-butyl-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(4-butyl-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(4-pentyl-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-
- yl}-1-(4-hexyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-heptyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-cyano-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3-nitro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-nitro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenoxy-ethanone dihydrochloride;

trans-3-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-oxo-propionic acid ethyl ester dihydrochloride;

trans 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-methyl-but-2-en-1-one dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(4-chloro-phenoxy)-ethanone dihydrochloride;

trans 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(3,4-dimethoxy-phenyl)-ethanone dihydrochloride;

trans 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-phenyl-propan-1-one dihydrochloride;

trans 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-(2,5-dimethoxy-phenyl)-propan-1-one dihydrochloride;

trans (E)-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-but-2-en-1-one dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-cyclopentyl-propan-1-one dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-benzyloxy-ethanone dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(3-methoxy-phenyl)-ethanone dihydrochloride;

trans- 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-cyclopentyl-methanone;

- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2,2-diphenyl-ethanone dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenyl-butan-1-one dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(4-methoxy-phenyl)-ethanone dihydrochloride;
- (±)-trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2-phenyl-cyclopropyl)-methanone dihydrochloride;
- trans-(E)-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-(3-trifluoromethyl-phenyl)-propenone dihydrochloride;
- (±)-trans- 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3,5,5-trimethyl-hexan-1-one dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenylsulfanyl-ethanone dihydrochloride;
- trans-(S)-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-hydroxy-propan-1-one dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(4-fluoro-phenyl)-ethanone dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-pent-4-en-1-one dihydrochloride;
- (±)-trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-hydroxy-2-phenyl-ethanone dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3,3-dimethyl-butan-1-one dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenyl-ethanone dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-propan-1-one dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-hexan-1-one dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-cyclohexyl-methanone dihydrochloride;

- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-pentan-1-one dihydrochloride;
- (±)-trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-ethyl-hexan-1-one dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9#H!-purin-6-ylamino]-piperidin-1-yl}-butan-1-one dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-methyl-propan-1-one dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-methyl-butan-1-one dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-thiophen-2-yl-ethanone dihydrochloride;
- trans-(E)-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-phenyl-propenone dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-cyclobutyl-methanone dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-cyclopropyl-methanone dihydrochloride;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-methoxy-ethanone dihydrochloride;
- trans-4-(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-fluoren-9-one;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-pyridin-3-yl-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-pyridin-4-yl-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2-fluoro-5-trifluoromethyl-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2-methyl-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3-bromo-phenyl)-methanone;

- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3-chloro-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3-methyl-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-bromo-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-chloro-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-iodo-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-methyl-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2,4-dichloro-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3,5-dichloro-phenyl)-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-isopropyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenoxy-ethanone dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-bromo-phenyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid p-tolyl ester dihydrochloride;
- trans- 4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-methoxycarbonyl-phenyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-methoxy-phenyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid phenyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (1R,2S,5R)-2-isopropyl-5-methyl-cyclohexyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-fluoro-phenyl ester dihydrochloride;

- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-chloro-phenyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-nitro-phenyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid benzyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid isobutyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid butyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ethyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-nitro-benzyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid allyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid propyl ester dihydrochloride;
- (±)-trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 2-ethyl-hexyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid hexyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 2-nitro-phenyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid but-3-enyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4,5-dimethoxy-2-nitro-benzyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid prop-2-ynyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 2,2-dimethyl-propyl ester dihydrochloride;

trans-4-[2-(4-Amino-cyclohexylamino)-9-isopropyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ethyl ester dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-N⁶-(1-benzenesulfonyl-piperidin-4-yl)-9-cyclopentyl-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-fluoro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonylmethyl}-7,7-dimethyl-bicyclo[2.2.1]heptan-2-one dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-chloro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-cyano-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(3,5-dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-2-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-benzoic acid methyl ester dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N-(5-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-4-methyl-thiazol-2-yl)-acetamide dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-bromo-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N-(4-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-phenyl)-acetamide dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-2-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-4,6-dichloro-phenol dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-((E)-2-phenyl-ethenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-(1-phenylmethanesulfonyl-piperidin-4-yl)-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(2,6-dichloro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-iodo-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans- N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(propane-2-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans- 4-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-benzoic acid dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²&-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-N⁶-[1-(butane-1-sulfonyl)-piperidin-4-yl]-9-cyclopentyl-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-N⁶-[1-(4-tert-butyl-benzenesulfonyl)-piperidin-4-yl]-9-cyclopentyl-9H-purine-2,6-diamine dihydrochloride;

trans- N²-(4-Amino-cyclohexyl)-N⁶-[1-(propane-1-sulfonyl)-piperidin-4-yl]-9-cyclopentyl-9H-purine-2,6-diamine dihydrochloride;

 $trans-N^2\hbox{-}(4-Amino-cyclohexyl)-9-cyclopentyl-N^6\hbox{-}[1-(2-nitro-4-trifluoromethyl-new length)]$

benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(2,2,2-trifluoro-ethanesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans- 3-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-benzoic acid methyl ester dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(2-bromo-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(3,4-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(3,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-(1-ethanesulfonyl-piperidin-4-yl)-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-N⁶-[1-(4-chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-9-cyclopentyl-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-methoxy-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine dihydrochloride;

trans-4-{4-[2-(4-Amino-cyclohexylamino)-9-isopropyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-benzonitrile dihydrochloride;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid phenylamide dihydrochloride;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-fluoro-phenyl)-amide dihydrochloride;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ethylamide dihydrochloride;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-trifluoromethyl-phenyl)-amide dihydrochloride;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-chloro-phenyl)-amide dihydrochloride;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2,4-dimethoxy-phenyl)-amide dihydrochloride;

- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-fluoro-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-methoxy-phenyl)-amide dihydrochloride;
- trans-4-[(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-amino]-benzoic acid ethyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-methoxy-phenyl)-amide dihydrochloride;
- (±)-trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-phenyl-cyclopropyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid isopropylamide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-trifluoromethyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-trifluoromethyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ((R)-1-phenyl-ethyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ((S)-1-phenyl-ethyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-bromo-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-methoxy-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid allylamide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-chloro-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2,4-difluoro-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2,4-dichloro-phenyl)-amide dihydrochloride;

- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-bromo-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-chloro-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-bromo-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-ethoxy-phenyl)-amide dihydrochloride;
- trans-N-(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-benzamide dihydrochloride;
- trans-(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-carbamic acid ethyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-trifluoromethoxy-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-trifluoromethoxy-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3,5-bis-trifluoromethyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-chloro-5-trifluoromethyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-chloro-2-trifluoromethyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-chloro-3-trifluoromethyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2,5-difluoro-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid adamantan-1-ylamide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3,5-dichloro-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-methyl-phenyl)-amide dihydrochloride;

- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid pentylamide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid hexylamide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-methylsulfanyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid biphenyl-2-yl-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-acetyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-acetyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-isopropyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-ethoxy-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid tert-butyl-amide dihydrochloride;
- trans-2-[(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-amino]-benzoic acid methyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-cyano-phenyl)-amide dihydrochloride;
- trans-3-[(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-amino]-benzoic acid ethyl ester dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-chloro-6-methyl-phenyl)-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid phenethyl-amide dihydrochloride;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3,4,5-trimethoxy-phenyl)-amide dihydrochloride;
- trans-2-[(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-amino]-benzoic acid ethyl ester dihydrochloride;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid (2-fluoro-5-trifluoromethyl-phenyl)-amide dihydrochloride; trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid (2-fluoro-6-trifluoromethyl-phenyl)-amide dihydrochloride; trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid (4-fluoro-2-trifluoromethyl-phenyl)-amide dihydrochloride; trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid (4-fluoro-3-trifluoromethyl-phenyl)-amide dihydrochloride; trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid butylamide dihydrochloride; trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid cyclohexylamide dihydrochloride; trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid propylamide dihydrochloride; trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid (2-fluoro-phenyl)-amide dihydrochloride; trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid (2-methyl-phenyl)-amide dihydrochloride; trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid (3,4-dichloro-phenyl)-amide dihydrochloride; trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid (3-methyl-phenyl)-amide dihydrochloride; or trans-4-[2-(4-Amino-cyclohexylamino)-9-isopropyl-9H-purin-6-ylamino]-piperidine-1carboxylic acid (4-trifluoromethoxy-phenyl)-amide dihydrochloride;


or a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.

- 3. A method of treating a hyperproliferative disorder in a patient by administration of a compound according to claim 1.
- 4. The method according to claim 3, wherein the hyperproliferative disorder is a neoplastic disease.

- 5. The method according to claim 4, wherein the neoplastic disease is selected from leukemia, carcinoma, adenocarcinoma, sarcoma, melanoma or a mixed type of neoplasm.
- 6. The method according to claim 5, wherein the leukemia is selected from acute lymphoblastic leukemia, chronic leukemia, acute myeloblastic leukemia and chronic mylocytic leukemia.
- 7. The method according to claim 5, wherein the carcinoma is selected from those of the cervis, breast, prostate, esophagus, stomach, small intestines, colon, ovary and lungs.
- 8. The method according to claim 5, wherein the adenocarcinoma is selected from those of the cervis, breast, prostate, esophagus, stomach, small intestines, colon, ovary and lungs.
- 9. The method according to claim 5, wherein the sarcoma is selected from oesteroma, osteosarcoma, lipoma, lipsarcoma, hemangiomas and hemangiosarcoma.
- 10. The method according to claim 5, wherein the melanoma is selected from amelanotic melanoma and melanotic melanoma.
- 11. The method according to claim 5, wherein the mixed type of neoplasm is selected from carcinosarcoma, lymphoid tissue type, folicular reticulum, cell sarcoma and Hodgkins Disease.
- 12. The method according to claim 3, where in the hyperproliferative disorder is a non-neoplastic disease.
- 13. The method according to claim 12, wherein the non-neoplastic disease is restinosis or an autoimmune disease.
- 14. The method according to claim 13, wherein the autoimmune disease is rheumatoid arthritis, Type 1 diabetes, atherosclerosis, allograft rejection, or asthma.
- 15. A method of preventing apoptosis of cells in a patient by administration of a compound according to claim 1.
- 16. The method according to claim 15, wherein the cells are neuronal cells.
- 17. The method according to claim 15, wherein apoptosis is induced by antineoplastic agents.
- 18. The method according to claim 15, wherein apoptosis is induced by cerebrovascular disease.
- 19. The method according to claim 15, wherein apoptosis is induced by stroke or infarction.
- 20. A method of protecting method of protecting neuronal cells from apoptosis comprising administering a compound according to claim 1.

- 21. A method of protecting neuronal cells from damage induced by antineoplastic agents, comprising administering a compound according to claim 1.
- 22. A method of inhibiting cyclin-dependent kinases (CDKs) by administering a compound according to claim 1.
- 23. The method according to claim 22, wherein the CDK is selected from the group consisting of CDK1/cyclin B, CDK2/cyclin E, and CDK4/cyclin D.
- 24. A compound according to claim 1 of the formula

- 25. A compound according to claim 24 wherein Z is -C(O)-.
- 26. A compound according to claim 24 wherein Z is -S(O)₂-.
- 27. A compound according to claim 25 wherein R_a is -OR1, or -N(R1)(R3).
- 28. A compound according to claim 25 wherein R_a is -SR1.
- 29. A compound according to claim 27 wherein R_a is -OR1.
- 30. A compound according to claim 27 wherein R_a is -N(R1)(R3).
- 31. A compound according to any of claims 1, 24, 25, 26, 27, 28, 29 or 30 wherein R_2 is cyclopentyl.
- 32. A compound according to claims 1 or 24 wherein R1 is $-(CH_2)_nQ_p(CH_2)_nW$.
- 33. A compound according to claim 30 wherein R1 is $-(CH_2)_nQ_p(CH_2)_nW$.
- 34. A compound according to claim 33 wherein W is



where B is -O-, -S-, -NR6-, where each carbon of the aromatic or heteroaromatic ring may be independently substituted by a nitrogen atom, and each carbon of the aromatic ring may be independently substituted with an X substituent.

35. A compound according to claim 34 wherein W is phenyl, each carbon of which may be independently substituted with an X substituent.

36. A compound according to claim 1 which is

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-fluoro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-trifluoromethyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-trifluoromethyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-quinoxalin-2-yl-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-benzo[1,3]dioxol-5-yl-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3-chloro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2-methoxy-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-methoxy-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-phenyl-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-thiophen-2-yl-methanone;

trans-4-(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-benzoic acid methyl ester;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2-fluoro-3-trifluoromethyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2-bromo-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2,6-dichloro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3,4-dichloro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3,4,5-trimethoxy-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3,5-dimethoxy-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-butoxy-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-heptoxy-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-tert-butyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-butyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-pentyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-hexyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-heptyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-cyano-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3-nitro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-nitro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenoxy-ethanone;

trans-3-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-oxo-propionic acid ethyl ester;

trans 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-methyl-but-2-en-1-one;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(4-chloro-phenoxy)-ethanone;

trans 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(3,4-dimethoxy-phenyl)-ethanone;

trans 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-phenyl-propan-1-one;

trans 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-(2,5-dimethoxy-phenyl)-propan-1-one;

trans (E)-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-but-2-en-1-one;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-cyclopentyl-propan-1-one;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-benzyloxy-ethanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(3-methoxy-phenyl)-ethanone;

trans- 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-cyclopentyl-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2,2-diphenyl-ethanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenyl-butan-1-one;

- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(4-methoxy-phenyl)-ethanone;
- (±)-trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2-phenyl-cyclopropyl)-methanone;
- trans-(E)-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-(3-trifluoromethyl-phenyl)-propenone;
- (±)-trans- 1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3,5,5-trimethyl-hexan-1-one;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenylsulfanyl-ethanone;
- trans-(S)-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-hydroxy-propan-1-one;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(4-fluoro-phenyl)-ethanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-pent-4-en-1-one;
- (±)-trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-hydroxy-2-phenyl-ethanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3,3-dimethyl-butan-1-one;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenyl-ethanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-propan-1-one;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-hexan-1-one;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-cyclohexyl-methanone;
- trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-pentan-1-one;
- (±)-trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-ethyl-hexan-1-one;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9#H!-purin-6-ylamino]-piperidin-1-yl}-butan-1-one;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-methyl-propan-1-one;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-methyl-butan-1-one;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-thiophen-2-yl-ethanone;

trans-(E)-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-phenyl-propenone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-cyclobutyl-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-cyclopropyl-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-methoxy-ethanone;

trans-4-(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-fluoren-9-one;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-pyridin-3-yl-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-pyridin-4-yl-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2-fluoro-5-trifluoromethyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2-methyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3-bromo-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3-chloro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3-methyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-bromo-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-chloro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-iodo-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(4-methyl-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(2,4-dichloro-phenyl)-methanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-(3,5-dichloro-phenyl)-methanone; or

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-isopropyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenoxy-ethanone; or

a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.

37. A compound according to claim 1 which is

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-bromo-phenyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid p-tolyl ester;

trans- 4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-methoxycarbonyl-phenyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-methoxy-phenyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid phenyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (1R,2S,5R)-2-isopropyl-5-methyl-cyclohexyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-fluoro-phenyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-chloro-phenyl ester;

- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-nitro-phenyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid benzyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid isobutyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid butyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ethyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-nitro-benzyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid allyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid propyl ester;
- (±)-trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 2-ethyl-hexyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid hexyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 2-nitro-phenyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid but-3-enyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4,5-dimethoxy-2-nitro-benzyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid prop-2-ynyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 2,2-dimethyl-propyl ester; or
- trans-4-[2-(4-Amino-cyclohexylamino)-9-isopropyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ethyl ester; or
- a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.

38. A compound according to claim 1 which is

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-fluoro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonylmethyl}-7,7-dimethyl-bicyclo[2.2.1]heptan-2-one;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-chloro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-cyano-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(3,5-dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-2-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-benzoic acid methyl ester;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N-(5-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-4-methyl-thiazol-2-yl)-acetamide;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-bromo-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N-(4-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-phenyl)-acetamide;

 $trans-N^2-(4-Amino-cyclohexyl)-9-cyclopentyl-N^6-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-9-cyclopentyl-N^6-[1-(naphtha$

trans-2-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-4,6-dichloro-phenol;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-((E)-2-phenyl-ethenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-(1-phenylmethanesulfonyl-piperidin-4-yl)-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

 $trans-N^2-(4-Amino-cyclohexyl)-9-cyclopentyl-N^6-[1-(2,6-dichloro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;$

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-iodo-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans- N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(propane-2-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans- 4-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-benzoic acid;

 $trans-N^2-(4-Amino-cyclohexyl)-9-cyclopentyl-N^6-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;$

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-9H-purine-2.6-diamine:

trans-N²-(4-Amino-cyclohexyl)-N⁶-[1-(butane-1-sulfonyl)-piperidin-4-yl]-9-cyclopentyl-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-N⁶-[1-(4-tert-butyl-benzenesulfonyl)-piperidin-4-yl]-9-cyclopentyl-9H-purine-2,6-diamine;

trans- N²-(4-Amino-cyclohexyl)-N⁶-[1-(propane-1-sulfonyl)-piperidin-4-yl]-9-cyclopentyl-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

 $trans-N^2-(4-Amino-cyclohexyl)-9-cyclopentyl-N^6-[1-(2,2,2-trifluoro-ethanesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;$

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans- 3-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-benzoic acid methyl ester;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(2-bromo-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(3,4-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

 $trans-N^2-(4-Amino-cyclohexyl)-9-cyclopentyl-N^6-[1-(3,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;$

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-(1-ethanesulfonyl-piperidin-4-yl)-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-N⁶-[1-(4-chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-9-cyclopentyl-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(4-methoxy-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine;

trans-N²-(4-Amino-cyclohexyl)-9-cyclopentyl-N⁶-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-9H-purine-2,6-diamine; or

trans-4-{4-[2-(4-Amino-cyclohexylamino)-9-isopropyl-9H-purin-6-ylamino]-piperidine-1-sulfonyl}-benzonitrile; or

a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.

39. A compound according to claim 1 which is

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid phenylamide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-fluoro-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ethylamide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-trifluoromethyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-chloro-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2,4-dimethoxy-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-fluoro-phenyl)-amide;

- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-methoxy-phenyl)-amide;
- trans-4-[(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-amino]-benzoic acid ethyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-methoxy-phenyl)-amide;
- (±)-trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-phenyl-cyclopropyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid isopropylamide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-trifluoromethyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-trifluoromethyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ((R)-1-phenyl-ethyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ((S)-1-phenyl-ethyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-bromo-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-methoxy-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid allylamide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-chloro-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2,4-difluoro-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2,4-dichloro-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-bromo-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-chloro-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-bromo-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-ethoxy-phenyl)-amide;

trans-N-(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-benzamide;

trans-(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-carbamic acid ethyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-trifluoromethoxy-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-trifluoromethoxy-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3,5-bis-trifluoromethyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-chloro-5-trifluoromethyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-chloro-2-trifluoromethyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-chloro-3-trifluoromethyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2,5-difluoro-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid adamantan-1-ylamide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3,5-dichloro-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-methyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid pentylamide;

- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid hexylamide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-methylsulfanyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid biphenyl-2-yl-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-acetyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-acetyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-isopropyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-ethoxy-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid tert-butyl-amide;
- trans-2-[(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-amino]-benzoic acid methyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-cyano-phenyl)-amide;
- trans-3-[(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-amino]-benzoic acid ethyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-chloro-6-methyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid phenethyl-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3,4,5-trimethoxy-phenyl)-amide;
- trans-2-[(1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-methanoyl)-amino]-benzoic acid ethyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-fluoro-5-trifluoromethyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-fluoro-6-trifluoromethyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-fluoro-2-trifluoromethyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-fluoro-3-trifluoromethyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid butylamide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid cyclohexylamide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid propylamide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-fluoro-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-methyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3,4-dichloro-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-methyl-phenyl)-amide; or

trans-4-[2-(4-Amino-cyclohexylamino)-9-isopropyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-trifluoromethoxy-phenyl)-amide; or

a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.

40. A compound according to claim 1 which is

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-fluoro-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-trifluoromethyl-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-methoxy-phenyl)-amide;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (3-chloro-phenyl)-amide;

- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-bromo-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-chloro-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-trifluoromethoxy-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-chloro-2-trifluoromethyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-chloro-3-trifluoromethyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-methyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-methylsulfanyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid biphenyl-2-yl-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-isopropyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-ethoxy-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (2-fluoro-5-trifluoromethyl-phenyl)-amide;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-fluoro-2-trifluoromethyl-phenyl)-amide; or
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid (4-fluoro-3-trifluoromethyl-phenyl)-amide; or
- a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.

41. A compound according to claim 1 which is:

- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid butyl ester;
- trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid ethyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-nitro-benzyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid allyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 2-nitro-phenyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4,5-dimethoxy-2-nitro-benzyl ester;

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid prop-2-ynyl ester; or

trans- 4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-methoxycarbonyl-phenyl ester; or

a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.

42. A compound according to claim 1 which is

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenoxy-ethanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenylsulfanyl-ethanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(4-chloro-phenoxy)-ethanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-benzyloxy-ethanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenyl-butan-1-one;

trans-(E)-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-3-(3-trifluoromethyl-phenyl)-propenone; or

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-1-cyclobutyl-methanone; or

a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.

43. A compound according to claim 42 which is

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenoxy-ethanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-phenylsulfanyl-ethanone;

trans-1-{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl}-2-(4-chloro-phenoxy)-ethanone; or

 $trans-1-\{4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidin-1-yl\}-2-benzyloxy-ethanone; or$

a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.

44. A compound according to claim 41 which is

trans- 4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 4-methoxycarbonyl-phenyl ester; or

trans-4-[2-(4-Amino-cyclohexylamino)-9-cyclopentyl-9H-purin-6-ylamino]-piperidine-1-carboxylic acid 2-nitro-phenyl ester; or

a pharmaceutically acceptable salt, optical isomer, solvate or hydrate thereof.